

## 1/18 Ford® Bronco® (Model 97074-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Aula Commonanta		Obsesia a Busalamanta
	Axie Components		Chassis & Attachments
9741	Axle housing, front & rear	9727	Battery strap
9729X	Axle shaft, front (hardened steel) (1)	9722	Chassis rails, 202mm (steel) (left & right)
9729	Axle shafts, front, outer	9794	Display stand (155mm wheelbase)
9756	Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened	9739	Servo mount, steering/ servo horn
9730	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2) Axle shafts, rear, outer	9739-BLUE	Servo mount, 6061-T6 aluminum (blue-anodized)
9730X	Axle shaft, rear (hardened steel) (1)	9739-GRAY 9739-GRN	Servo mount, 6061-T6 aluminum (dark titanium-anodized) Servo mount, 6061-T6 aluminum (green-anodized)
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)	9739-GRN 9739-ORNG	Servo mount, 6061-16 aluminum (green-anodized)
9744	Axle, rear (assembled)/ M2.5x0.45 NL (2)	9739-RED	Servo mount, 6061-T6 aluminum (red-anodized)
9738	Axle cover, front or rear (black) (2)	9726	Shock mounts (front & rear)/ battery tray
9738-BLKCR	Axle cover, front or rear (black chrome) (2)	9736	Skidplate, center/ bumper mount, front/ bumper mount, rear
9738-BLUE	Axle cover, front or rear (blue) (2)		Driveline Components
9738-GRAY	Axle cover, front or rear (gray) (2)	9755	Driveshafts, center, assembled (front & rear)
9738-RED	Axle cover, front or rear (red) (2)	9753 9752-BLUE	Driveshafts, center, female, 6061-T6 aluminum (blue-
9738-SATIN	Axle cover, front or rear (satin chrome) (2)	3732-BLUL	anodized) (front & rear) (for use with #9751A or 9751X metal
9779	Gears, axle (metal, front & rear)		center driveshafts)
9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for front or center driveshafts)	9752-GRAY	Driveshafts, center, female, 6061-T6 aluminum (dark
9777	Ring gear, axle (2)/ pinion gear, axle (2)		titanium-anodized) (front & rear) (for use with #9751A or
9753	Stub axle, front (2)/ cross pins (2)/ drive pins (4)		9751X metal center driveshafts)
9753X	Stub axle, front (hardened steel) (1)	9752-GRN	Driveshafts, center, female, 6061-T6 aluminum (green- anodized) (front & rear) (for use with #9751A or 9751X metal
	Bearings & Bushings		center driveshafts)
074EV		9752-ORNG	Driveshafts, center, female, 6061-T6 aluminum (orange-
9745X	Ball bearing set, black rubber sealed, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2),		anodized) (front & rear) (for use with #9751A or 9751X metal
	3.5x7x2.5mm (4))		center driveshafts)
9745R	Ball bearing set, transmission, black rubber sealed (contains	9752-RED	Driveshafts, center, female, 6061-T6 aluminum (red-
	3x6x2.5mm bearings (6))		anodized) (front & rear) (for use with #9751A or 9751X metal
9745	Bushing set, self-lubricating, complete (3x6x2.5mm (8),	9751-BLUE	center driveshafts) Driveshafts, center, male (metal) (4)/ driveshafts, center,
	5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm	9/31-BLUE	female, 6061-T6 aluminum (blue-anodized) (front & rear)/
	(4))		1.6x7mm BCS (with threadlock) (4)
	Body & Accessories	9751-GRAY	Driveshafts, center, male (metal) (4)/ driveshafts, center,
9711-WHT	Body, Ford Bronco, complete (assembled) (white) (includes grille,		female, 6061-T6 aluminum (dark titanium-anodized) (front &
	side mirrors, door handles, fender flares, windshield wipers,	0754	rear)/ 1.6x7mm BCS (with threadlock) (4)
0744	spare tire mount, & clipless mounting)	9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for front or center driveshafts)
9711	Body, Ford Bronco, complete (unassembled) (white, requires painting) (includes grille, side mirrors, door handles, fender		
	flares, windshield wipers, spare tire mount, & clipless		Hardware
	mounting)	9746	Hardware kit, complete (contains all hardware used on 1/18-scale
9711-ARE51	Body, Ford Bronco, complete, Area 51 (includes grille, side		Ford® Bronco® or Land Rover® Defender®) (includes clear plastic storage container)
	mirrors, door handles, fender flares, windshield wipers,	9746X	Hardware kit, stainless steel, complete (contains all stainless
9711-BLK	spare tire mount, & clipless mounting)  Body, Ford Bronco, complete, black (includes grille, side mirrors,	·	steel hardware used on 1/18-scale Ford Bronco or Land
91 II-DEK	door handles, fender flares, windshield wipers, spare tire mount,		Rover® Defender®) (includes body hardware and clear
	& clipless mounting)		plastic storage container)
9711-BLUE	Body, Ford Bronco, complete, blue (includes grille, side mirrors,		<b>LED Lights</b>
	door handles, fender flares, windshield wipers, spare tire mount,	9783	LED light set, front & rear, complete (includes light harness,
0744 ODAY	& clipless mounting)		1.6x10mm BCS (self-tapping) (2), 1.6x7mm BCS (self-
9711-GRAY	Body, Ford Bronco, complete, Cactus Grey (includes grille, side mirrors, door handles, fender flares, windshield wipers,		tapping) (2), zip ties (2)) (fits #9711 body)
	spare tire mount, & clipless mounting)	9786	Wire harness, LED lights (front)/ zip ties (2)
9711-CYBER	Body, Ford Bronco, complete, Cyber Orange (includes grille,		<b>Motors &amp; Electronics</b>
	side mirrors, door handles, fender flares, windshield wipers,	9785	ECM-2.5 Electronic Control Module, waterproof (low voltage
	spare tire mount, & clipless mounting)		detection, fwd/rev/brake)
9711-RED	Body, Ford Bronco, complete, red (includes grille, side mirrors,	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
	door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting)	9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-
9794	Display stand (155mm wheelbase)	9793-GRAY	anodized) Heat sink, Titan® 87T motor (6061-T6 aluminum, gray-
9713	Frame, body (fender flares) (fits #9711 body)	9793-GRAT	anodized)
9718	LED lenses, body, front & rear (complete set) (fits #9711 body)	9793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-
9715	Roof rack/ spare tire cover/ cowl/ grille (fits #9711 body)		anodized)
9716	Roof, body (fits #9711 body)	9793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-
9717	Trail sights (left & right)/ door handles (left, right, & rear)/ front		anodized)
0744	bumper covers (left & right) (fits #9711 body)	9793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-
9714 <b>9714X</b>	Windows, body (clear) (fits #9711 body) Windows, body (tinted) (fits #9711 body)	9775	anodized) Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth
37 17/		3113	(metal)
	Bumpers & Skidplates	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
9735	Bumper, front (1)/ rear (1)	9740	Servo horn (metal)
9735A	Front bumper with winch/ rear bumper/ bumper mounts,	2065T	Servo, sub-micro, waterproof
9736	front & rear/ center skidplate Skidplate, center/ bumper mount, front/ bumper mount, rear	2065R	Servo, sub-micro, waterproof, metal gear
3130	omapiate, center bumper mount, none bumper mount, real		

Page 2 1/18 2021 Ford® Bronco® (Model 97074-1) Parts List

2024	Radio System, Batteries & Chargers	9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized) servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadle
821 <b>914</b>	750mAh 7.4V 2-Cell 20C LiPo Battery		(1)/ 2.5x7mm SS (with threadlock) (1)
767	Battery, Power Cell AA Alkaline (4)	9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo
767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)		horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1
785	ECM-2.5 Electronic Control Module, waterproof (low voltage detection, fwd/rev/brake)	9748-ORNG	2.5x7mm SS (with threadlock) (1) Steering link, 6061-T6 aluminum (orange-anodized)/ servi
064R	Gear set, metal (for 2065R waterproof sub-micro servo)		horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1 2.5x7mm SS (with threadlock) (1)
063A <b>740</b>	Servo case/gaskets (for 2065A waterproof sub-micro servo)  Servo horn (metal)	9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo ho
	,		metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
065T	Servo, sub-micro, waterproof	9742R	Suspension link set, complete (front & rear) (includes steering
)65R	Servo, sub-micro, waterproof, metal gear	314211	link (1), front lower links (2), front upper links (2), rear lower links
	Ready-To-Race Model		(4)) (assembled with hollow balls)
7074-1	TRX-4M™ Scale and Trail® Crawler with Ford® Bronco® Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System		Suspension Linkage
		7028	Hollow balls (20)
	Scale Accessories	7028X	Hollow balls, steel (machined) (22)
796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-	9742R	Suspension link set, complete (front & rear) (includes steering
	load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-		link (1), front lower links (2), front upper links (2), rear lower links
	tapping) (1)		(4)) (assembled with hollow balls)
797	Trailer wheels (2)/ tires (2)/ mounting hardware	9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized)
95	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load		(includes 5x53mm front lower links (2), 5x46mm front upp
	spacers (2)/ 2.5x8mm BCS (2)		links (2), 5x68mm rear lower or upper links (4))
	Shock Oil	9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-
121	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)		anodized) (includes 5x53mm front lower links (2), 5x46mi
31	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		front upper links (2), 5x68mm rear lower or upper links (4
)32 )33		9749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized)
)33 )34	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		(includes 5x53mm front lower links (2), 5x46mm front up
)34 )35	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)		links (2), 5x68mm rear lower or upper links (4))
	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	9749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized
)36 )37	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		(includes 5x53mm front lower links (2), 5x46mm front up
037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)		links (2), 5x68mm rear lower or upper links (4))
)29	Shock oil bottle (60cc) (for mixing shock oil)	9749-RED	Suspension link set, 6061-T6 aluminum (red-anodized)
)38X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70		(includes 5x53mm front lower links (2), 5x46mm front upp
	wt, & 80 wt premium shock oils with spinning carousel rack)	0740	links (2), 5x68mm rear lower or upper links (4))
5038	Spinning carousel rack	9749	Suspension link set, steel (includes 4x53mm front lower
	Shocks		links (2), 4x46mm front upper links (2), 4x68mm rear lowe upper links (4))
763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized)		
9763-GRAY 9763-GRN	(includes spring pre-load spacers) (2)		Team Traxxas Items
	Body, GTM shock, 6061-T6 aluminum (dark titanium-	2514	Decal sheet, racing sponsors
	anodized) (includes spring pre-load spacers) (2)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-colo
	Body, GTM shock, 6061-T6 aluminum (green-anodized)	9909	Traxxas® racing banner, red & black (3x7 feet)
	(includes spring pre-load spacers) (2)		Tires & Wheels
9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized)	0774	
	(includes spring pre-load spacers) (2)	9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®
763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized)	0772	Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)
	(includes spring pre-load spacers) (2)	9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Tr
761A	Lower retainer, shock (brass) (4)	0771	2.2x1.0" tires) (2)  Tires PECcodrigh® Mud Terrain™ T/A® KM2 2.2x1.0" (2)
762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps)	9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)
	(renews 2 shocks)	9769	Tires, Canyon Trail 2.2x1.0" (2)
762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload	9782	Tires, Mickey Thompson® Baja Pro X® 2.2x1.0" (2)
	spacer (4)	9750	Wheel hubs, 7mm hex (4)/ axle pins (8)
764	Shocks (assembled w/o springs) (2)	9750X	Wheel hubs, 7mm hex (brass) (4)/ axle pins (8)
764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized)	9750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)
	(fully assembled w/o springs) (4)	9770	Wheels, 1.0" (black) (2)
9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully	9768	Wheels, 1.0" (black) (2)
	assembled w/o springs) (4)	9768-BLKCR	Wheels, 1.0" (black chrome) (2)
9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully	9768-SATIN	Wheels, 1.0" (satin chrome) (2)
	assembled w/o springs) (4)	9770-BLKCR	Wheels, 1.0" (black chrome) (2)
9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully	9770-SATIN	Wheels, 1.0" (satin chrome) (2)
04-011110	, ,	0704	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black
	assembled w/o springs) (4)	9781	·
764-BLUE	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully		beadlock) (2)
764-BLUE	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4)	9781-BLKBL	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin
764-BLUE 757	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair)	9781-BLKBL	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)
<b>764-BLUE</b> 7 <b>57</b> 758	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair)		beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin
<b>764-BLUE</b> <b>757</b> 758 <b>759</b>	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair)	9781-BLKBL 9781-SATIN	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)
764-BLUE 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair)	9781-BLKBL	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie
764-BLUE 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair)	9781-BLKBL 9781-SATIN	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)
764-BLUE 757 758 759 760	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (1.155 rate) (1 pair)	9781-BLKBL 9781-SATIN	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)
764-BLUE 757 758 759 760	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Components
764-BLUE 757 758 759 760 757	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair)	9781-BLKBL 9781-SATIN	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Commonwealth
764-BLUE 757 758 759 760 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780 9745R	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  ITALISTICS OF COMPANY Ball bearing set, transmission, black rubber sealed (cont 3x6x2.5mm bearings (6))
	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Composite Ball bearing set, transmission, black rubber sealed (cont 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction rate
764-BLUE 757 758 759 760 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780  9745R 9776	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Policies Ball bearing set, transmission, black rubber sealed (cont 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction rat pinion gear, 11-tooth
764-BLUE 757 758 759 760 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.125 rate) (1 pair) Spring, shock (0.125 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.155 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780 9745R	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 seriewheels)  Traising SS 01 Companies Ball bearing set, transmission, black rubber sealed (cont 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction rapinion gear, 11-tooth Gear set, transmission, low range (crawl) (40.3:1 reduction)
764-BLUE 757 758 759 760 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.125 rate) (1 pair) Spring, shock (0.155 rate) (1 pair)	9781-BLKBL 9781-SATIN 9780  9745R 9776 9776R	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  ITALISTICS OF COMMISSION BEAR (SACE AND COMMISSION BEAR
764-BLUE 757 758 759 760 757 758 759 760	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Steering blocks, left & right/ caster blocks (c-hubs), left & right/ axle covers (2)/ wheel hubs, 7mm hex (4)/ axle pins (8)	9781-BLKBL 9781-SATIN 9780  9745R 9776	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Commonstrates (31 grams each) (2) (fits #9781 serie wheels)  Ball bearing set, transmission, black rubber sealed (cont. 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction ratipinion gear, 11-tooth Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear, 11-tooth
764-BLUE 757 758 759 760 757 758 759	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Steering blocks, left & right/ caster blocks (c-hubs), left & right/ axle covers (2)/ wheel hubs, 7mm hex (4)/ axle pins (8) Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn,	9781-BLKBL 9781-SATIN 9780  9745R 9776R 9776X	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  Transmission Commonstrates Ball bearing set, transmission, black rubber sealed (contacts 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction ratipinion gear, 11-tooth Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ pini gear, 11-tooth
764-BLUE 757 758 759 760 757 758 759 760	assembled w/o springs) (4) Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4) Spring, shock (0.072 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.095 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.123 rate) (1 pair) Spring, shock (0.155 rate) (1 pair) Steering blocks, left & right/ caster blocks (c-hubs), left & right/ axle covers (2)/ wheel hubs, 7mm hex (4)/ axle pins (8)	9781-BLKBL 9781-SATIN 9780  9745R 9776 9776R	beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2) Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2) Wheel weights, brass (31 grams each) (2) (fits #9781 serie wheels)  ITALISTICS OF COMMISSION (2) Ball bearing set, transmission, black rubber sealed (conta 3x6x2.5mm bearings (6)) Gear set, transmission, high range (trail) (16.6:1 reduction ratipinion gear, 11-tooth Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth Gear set, transmission, speed (9.7:1 reduction ratio)/ pini

## Page 3 1/18 2021 Ford® Bronco® (Model 97074-1) Parts List

9791	Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (includes Titan® 87T motor)
9791R	Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (includes Titan® 87T motor)
9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio) (includes Titan® 87T motor)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.00mm, 7.00mm, 8.00mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM